

Price list of ABSONIC v2 accessories, valid until modify						2015.11.30	
Accessories are sold only along with our software							
No.	Short description	Product denomination	Part number	Net price (EUR)	Qty.	Total amount - Net price (EUR)	Delivery period (days)
1	Telecommunications adapters						
2	Single-port telecommunications adapter with automatic (and manual) started recording, suitable for recording ISDN2 (BRI) phone line's voice channels; with RS232 serial connector, 3.5mm stereo sound card and USB connector to PC. Power is supplied by USB port connector or AC/DC adaptor.	ABS-ISDN S0	SAR122-07010300	200,00			10
3	Two-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, audio line-level sources. Fitted with USB connector to PC. Power is supplied by USB port connector. LEAST 10 PCS. SPECIAL ORDER#	ABS-USB-2A-v1 - 2 port USB	SAR122-07020100	133,33			60
4	Four-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, audio line-level sources. Fitted with UTP connector to the computer network. Power is supplied by AC/DC adaptor.	ABS-UTP-4A-v1 - 4 port UTP	SAR122-07020200	400,00			10
5	Eight-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, audio line-level sources. Fitted with two UTP connector to computer network. Power is supplied by AC/DC adaptor.	ABS-UTP-8A-v1 - 8 port UTP	SAR122-07020300	533,33			10
6	Two-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, professional electret microphones with 6,3mm and XLR plug, audio line-level sources. Caller and called ID detection. Fitted with USB connector to PC. Power is supplied by USB port connector.	ABS-USB-2A-v2 - 2 port USB	SAR122-07020400	200,00			10

No.	Short description	Product denomination	Part number	Net price (EUR)	Qty.	Total amount - Net price (EUR)	Delivery period (days)
7	Single-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines, two-way radio sets, PC microphones with 3.5mm jack plug, professional electret microphones with 6,3mm and XLR plug, audio line-level sources. Caller and called ID detection. Fitted with USB connector to PC. Power is supplied by USB port connector.	ABS-USB-1AF-v2 - 1 port USB	SAR122-07020900	150,00			30
8	Single-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone line. Caller and called ID detection. Fitted with USB connector to PC. Power is supplied by USB port connector.	ABS-USB-1AP-v2 - 1 port USB	SAR122-07021000	116,67			30
9	Two-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines. Caller and called ID detection. Fitted with USB connector to PC. Power is supplied by USB port connector.	ABS-USB-2AP-v2 - 2 port USB	SAR122-07021100	150,00			10
10	Single-port telecommunications adapter with automatic and manual started recording, suitable for recording an analogue phone line. Fitted with GAME port and 3.5mm mono sound card connector to PC. Power is supplied by GAME port connector.	ABS-1A-VP-VF-T	GAR123-01010200	50,00			30
11	Single-port telecommunications adapter with voice controlled and manual started recording, suitable for recording an analogue phone line. Fitted with 3.5mm mono sound card connector to PC. Power is supplied by phone-line.	ABS-2A-VF	GAR123-01010300	33,33			30
12	Two-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines. Fitted with GAME port and 3.5mm stereo sound card connector to PC. Power is supplied by GAME port connector.	ABS-2x1AV-VP-VF-T	GAR123-01010500	83,33			30
13	Four-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines. Fitted with RS-232 serial connector to PC and two 6.3mm stereo sound card jack plug to ABS-M 4-MIDI sound card. Power is supplied by AC/DC adaptor.	ABS-4-VP-VF-T	GAR123-01010600	200,00			10

No.	Short description	Product denomination	Part number	Net price (EUR)	Qty.	Total amount - Net price (EUR)	Delivery period (days)
14	Eight-port telecommunications adapter with automatic and manual started recording, suitable for recording analogue phone lines. Fitted with RS-232 serial connector to the PC and a special connector to ABS-M 8-MIDI sound card. Power is supplied by AC/DC adaptor.	ABS-8-VP-VF-T	GAR123-01010700	333,33			10
15	Single-port telecommunications adapter with voice controlled and manual started recording, suitable for recording phone's handset by means of t-branch. Fitted with 3.5mm mono sound card jack plug to PC. Power is supplied by the phone's handset connector.	ABS-4AV-KP	GAR123-01030100	33,33			10
16	Single-port telecommunications adapter with automatic and manual started recording, suitable for recording phone's handset by means of t-branch. Fitted with 3.5mm mono sound card jack plug and GAME port connector to PC. Power is supplied by GAME port connector.	ABS-3AV-KP-OF-T	GAR123-01030300	50,00			10
17	Two-port telecommunications adapter with automatic and manual started recording, suitable for recording phone's handset by means of t-branch. Fitted with 3.5mm stereo sound card jack plug and GAME port connector to PC. Power is supplied by GAME port connector.	ABS-2x3AV-KP-OF-T	GAR123-01030700	93,33			10
18	Single-port telecommunications adapter with voice controlled and manual started recording, suitable for recording a two-way radio set. Fitted with 3.5mm mono sound card jack plug and a GAME port connector to PC. Power is supplied by GAME port connector.	ABS-URH 03	GAR123-01040200	50,00			10
19	Two-port telecommunications adapter with voice controlled and manual started recording, suitable for recording two-way radio sets. Fitted with 3.5mm stereo sound card jack plug and a GAME port connector to PC. Power is supplied by GAME port connector.	ABS-2xURH (99)	GAR123-01040300	93,33			10
20	Dual-port telecommunications adapter with voice controlled, manual and automatic started recording. Suitable for recording a two-way radio set and an analogue phone line. Fitted with 3.5mm stereo sound card jack plug and a GAME port connector to PC. Power is supplied by GAME port connector.	ABS-1AV-VP-VF-T + URH	GAR123-01050100	86,67			10

No.	Short description	Product denomination	Part number	Net price (EUR)	Qty.	Total amount - Net price (EUR)	Delivery period (days)
21	Dual-port telecommunications adapter with voice controlled, manual and automatic started recording. Suitable for recording a two-way radio set and phone's handset by means of t-branch. Fitted with 3.5mm stereo sound card jack plug and a GAME port connector to PC. Power is supplied by GAME port connector.	ABS-3A-KP-OF-T + URH	GAR123-01050200	93,33			10
22	Dual-port telecommunications adapter with voice controlled, manual and automatic started recording. Suitable for recording an analogue phone line and phone's handset by means of t-branch. Fitted with 3.5mm stereo sound card jack plug and a GAME port connector to PC. Power is supplied by GAME port connector.	ABS-1A-VP-VF-T + 3AV-KP-OF-T	GAR123-01050500	86,67			10
23	Total net amount (EUR):					0,00	

All prices are net price, VAT is not included. (VAT within Hungary 27%)

The Functions in grey background are under development.