

Add-ons price list of ABSONIC v2 sound recording system, valid until modify -
2015.12.04

(Add-ons are sold along primarily with our software)

No.	Short description	Product denomination	Part number	Net price (EUR)	Qty.	Total amount - net price (EUR)	Delivery period (days)
1	Brochures, user's guide						
2	Printed A4 user's guide, content is same as the PDF user's guide and help of the software.	ABS-UG EN	SAR122-10010000	16,67			10
3	Sound cards						
4	Internal PCI soundcards						
5	PCI-bus sound card, 4 analogue (mono) input and output, 6.3mm jack socket, without GAME port.	ABS-M 4-MIDI	AAR121-01110000	250,00			10
6	PCI-bus sound card, 8 analogue (mono) input and output with special connector socket, without GAME port.	ABS-M 8-MIDI	AAR121-01120000	400,00			10
7	PCI-bus sound card, 3.5mm stereo input and output (LINE-IN, LINE-OUT, MIC-IN) jack sockets, with GAME port.	ABS-SB compatible 5.1	AAR121-01140000	11,67			10
8	PCI-bus sound card, 3.5mm stereo input and output (LINE-IN, LINE-OUT, MIC-IN) jack sockets, without GAME port.	ABS-C Audigy SE	AAR121-01150000	23,33			10
9	PCI-bus sound card, 3.5mm stereo input and output (LINE-IN, LINE-OUT, MIC-IN) jack sockets, digital input and output (Coaxial and optical) connectors, with GAME port.	ABS-T Coax, optical SB comp 5.1	AAR121-01160000	26,67			10
10	External USB sound cards						
11	Stereo sound card, 3.5mm stereo input and output (LINE-IN, LINE-OUT, MIC-IN) jack sockets, without GAME port. Fitted with USB connector to the PC.	ABS-C USB 5.1	AAR121-01170000	53,33			10
12	Stereo sound card, 3.5mm stereo input and output (LINE-IN, LINE-OUT, MIC-IN) jack sockets, without GAME port. Fitted with USB connector to the PC.	ABS-T USB 5.1	AAR121-01180000	33,33			10
13	Single channel (stereo) soundcard* pendrive-shaped* analogue input and output (LINE-OUT, MIC-IN)* 3,5mm connctor sockets, USB connector to PC* Works without additional driver, Windows 2003 és 2008 compatible.	ABS-K USB stereo	AAR121-01200000	8,33			10
14	Single channel (stereo) soundcard* pendrive-shaped* analogue input and output (LINE-OUT, MIC-IN)* 3,5mm connctor sockets, USB connector to PC* Works without additional driver, Windows 2003 és 2008 compatible* Volume contol and microphone mute buttons.	ABS-D USB stereo	AAR121-01210000	15,00			10
15	Single channel (stereo) soundcard* pendrive-shaped* analogue input and output (LINE-OUT, MIC-IN)* 3,5mm connctor sockets, USB connector to PC* Works without additional driver, Windows 2003 és 2008 compatible* Volume contol and microphone mute buttons.	ABS-EAP USB stereo	AAR121-01220000	10,00			10

16	ISDN Cards						
17	Internal dual channel ISDN2 modem card. PCI connector to PC.	ABS-FC ISDN PCI	AAR121-12020000	86,67			30
18	External dual channel ISDN2 modem, fitted with USB connector to PC.	ABS-FC ISDN USB	AAR121-12030000	93,33			10
19	Microphones and ancillaries						
20	Wired microphones						
21	High sensitivity condenser PC microphone with cardioid characteristic, 3.5 mm sound card jack plug to PC. Power supplied by sound card's microphone jack socket.	ABS-H Micro-Clip	AAR121-02010000	6,67			10
22	Small size, condenser PC microphone with cardioid characteristic, 3.5 mm sound card jack plug to PC. Power supplied by sound card's microphone jack socket.	ABS-O Stereo	AAR121-02110000	66,67			10
23	High sensitivity, omnidirectional flat microphone to be used on a surface such as wall, stage floor, table, etc. Fitted with 3.5mm jack plug to PC's sound card or pre-amplifier (mixer). Power supplied by 9V battery or sound card's microphone jack socket.	ABS-M Omnidirectional	SAR122-04010000	40,00			10
24	High sensitivity, professional, omnidirectional flat microphone to be used on a surface such as wall, stage floor, table, etc. Fitted with XLR plug to pre-amplifier (mixer) or appropriate telecommunication adapter. Symmetric transformer output, 24V DC phantom power supplied by mixer or telecommunications adapter.	ABS-STL XLR mikrofon	AAR121-02210000	110,00			10
25	Two separate high sensitivity conference microphone in carrying case. Fitted with 3.5 mm sound card jack plug to PC's sound card. Power supplied by sound card's microphone socket.	ABS-O-Conference Set	AAR121-02140000	166,67			10
26	Adjustable characteristic conference mike, 3.5 mm jack and stand	ABS-S stereo	AAR121-02120000	113,33			10
27	Handheld dynamic mike, 6.3mm jack	ABS-M Dynamic	AAR121-02050000	33,33			10
28	USB microphones						
29	Professional, super sensitive USB microphone with omnidirectional, cardioid, stereo and bidirectional polar pattern and tabletop stand. Power supplied by PC's USB socket. It does not requires soundcard because this device is a soundcard.	ABS-Y professional USB microphone	AAR121-02180000	126,67			30
30	Foldable, portable, small size, sensitive, USB microphone with omnidirectional and cardioid polar pattern. Power supplied by PC's USB socket. It does not requires soundcard because this device is a soundcard.	ABS-Sam USB microphone	AAR121-02190000	56,67			30
31	Wireless microphones						

32	Wireless high sensitivity, small size bluetooth microphone with omnidirectional polar pattern. Power supplied by built-in Li-ion battery.	ABS-S bluetooth	AAR121-02200000	126,67			30
33	Wireless handheld dynamic mike or tie-clipped wireless mike transceiver set, 6.3 mm jack	ABS-M-diversity	AAR121-02160000	160,00			30
34	Wireless omnidirectional condenser microphone with clothing clip and transceiver. Separate receiver connects to the PC's sound card or pre-amplifier (mixer) via 3.5 mm jack plug. Extra discreet size. 50m effective range. Power supplied by batteries.	ABS-S non-diversity micro-port	AAR121-02130000	116,67			10
35	Microphone add-ons						
36	Tabletop mike stand (tripod), without bracket	ABS- tabletop tripod	AAR121-02080000	5,00			10
37	Foot-type tabletop mike telescopic stand, without bracket	ABS- tabletop, telescopic	AAR121-02090000	20,00			10
38	Foot-type tabletop mike stand, without bracket	ABS-M tabletop stand	AAR121-02100000	8,33			10
39	External control devices						
40	ABSONIC GAME PORT foot-switch	ABS-A foot-switch	SAR122-02010000	93,33			10
41	USB port ABSONIC foot-switch	ABS-O foot-switch	AAR121-10030000	50,00			10
42	Wireless presentation mouse	ABS-TP presentation mouse	AAR121-10040000	50,00			30
43	Mini game pad, USB terminal	ABS-GMF game pad	AAR121-10050000	13,33			30
44	Wired control unit to control ABSONIC basic voice recording functions. The device has a built-in microphone and speaker.	ABS-P SM remote control	AAR121-05090000	183,33			10
45	Pre-amplifiers, microphone adapters, mixers						
46	4-channel mono mike mixer-amplifier with mike-level output	ABS-M 4-channel mixer	AAR121-03020000	33,33			10
47	8-channel mixer-amplifier for mikes and line-level inputs	ABS-M 8-channel mixer	AAR121-03030000	50,00			10
48	1 channel mixer-preamplifier with mike-level output	ABS-B 1-channel mixer	AAR121-03060000	50,00			30
49	Single channel, 48 volt XLR microphone-USB pre-amplifier and adapter with XLR female connector socket and USB cable to the PC's USB connector socket. Power supplied by PC's USB socket. It does not requires soundcard because this device is a soundcard.	ABS-IC XLR-USB adapter	AAR121-03070000	73,33			30
50	Head-mikes, headsets						
51	RF headset for 100 m range, 3.5 mm jack terminal	ABS-S RF headset	AAR121-04100000	93,33			10
52	Wired stereo clip headset – type 1, 3.5 mm jack	ABS-P clip headset	AAR121-04180000	10,00			10
53	Wire connected audio headset, 3,5 mm jack terminals to the soundcard	ABS-H headset for soundcard	AAR121-04110000	8,33			10
54	Wired headset with DPS mike and USB terminal	ABS-P DSP headset	AAR121-04130000	86,67			30
55	Wired single-ear headset with noise cancelling mike and quick disconnect terminal	ABS-P SupraPlus single-ear headset	AAR121-04140000	73,33			30

56	Wireless Bluetooth headset and mike	ABS-M Bluetooth headset	AAR121-04120000	86,67			10
57	Wired stereo headphone with volume control* 3.5mm jack connector to the soundcard* 5m cord	ABS-SY headphone	AAR121-04240000	11,67			10
58	Wired stereo headset with volume control and USB terminal	ABS-P Premium Stereo Headset USB	AAR121-04230000	23,33			30
59	Voice volume control adapter, to adjust telephone receiver volume	ABS-P audio amplifier adapter	AAR121-04150000	106,67			30
60	Wired single-ear, or earplug headset with noise cancelling mike and adapter connected to telephone receiver terminal	ABS-P adapter headset	AAR121-04160000	106,67			30
61	Multimedia adapter for connecting analogue telephone sets, computers and head-mikes	ABS-P multimedia adapter	AAR121-04030000	116,67			10
62	Telephone set with headset and without receiver	ABS-P Telephone with headset and without receiver	AAR121-04090001	100,00			30
63	Stereo adapter cable	ABS-P stereo adapter cable	AAR121-04040000	26,67			10
64	Wireless mono headset with mono noise cancelling microphone. The base station connects to the PC with USB.	ABS-J mono wireless headset	AAR121-04200000	153,33			10
65	Loudspeakers						
66	Pair of stereo loudspeakers connectible to computer, with volume control and headset terminal	ABS-G Pair of stereo loudspeakers	AAR121-13010100	15,00			10
67	Mobil telephone voice recording gadgets						
68	Voice recorder of combined ear-mounted speaker-mike, 3.5 mm jack	ABS-O speaker-mike	AAR121-14030000	30,00			10
69	Stationary mounted, single channel GSM phone terminal with analogue line connector	ABS-N 1 channel GSM terminal	AAR121-15010000	200,00			30
70	Stationary mounted, four channel GSM phone terminal adapter with four analogue line connector and external antenne.	ABS-MTX-44 Four channel GSM terminal adapter	AAR121-15030000	566,67			30
71	Mobil phone headset-audio PCB converter cable for mobile phone recorder cables	ABS-A mobile phone recorder adapter cable, version 2	SAR122-06010000	23,33			10
72	Voice recorder headset for Nokia-make phones with HDC-9P connector	ABS-N mobile phone recorder cable, type 1	SAR122-06030000	23,33			10
73	Voice recorder headset for Nokia-make phones with HDC-5 connector	ABS-N mobile phone recorder cable, type 2	SAR122-06040000	23,33			10
74	Voice recorder headset for Motorola-make (universal) phones with 3.5mm jack	ABS-M universal mobile phone recorder cable	SAR122-06050000	23,33			10
75	Voice recorder headset for Sony-Ericsson -make mobile phones	ABS-SE mobile phone recorder cable	SAR122-06080000	23,33			10
76	Voice recorder headset for Nokia-make phones with 3.5mm jack connector	ABS-NK 3.5 phone recorder cable	SAR122-06090000	23,33			10

77	Power Supplies					
78	Mains power supplies					
79	Unregulated PS, voltage adjustable between 3 and 12 V, 500 mA load. Type 1	ABS- Unregulated PS 500mA 3-12V	AAR121-07010100	6,00		10
80	Regulated PS, voltage adjustable between 3 and 12 V, 1.4 A load. Type 2	ABS-S Regulated PS 1,4A 3-12V	AAR121-07010800	7,33		30
81	Filtered PS, voltage adjustable between 3 and 12 V, 300 mA load for mixers and preamplifiers	ABS-M Filtered PS for mixers 300mA 1,5-12V	AAR121-07011100	10,00		10
82	Four channel mike and mixer PS, voltage adjustable between 1.2 and 11 V	ABS-MPS4 mike PS	SAR122-01010200	50,00		10
83	USB ancillaries, gadgets					
84	USB-serial port converter cable	ABS-USB serial adapter	AAR121-05050000	16,67		10
85	USB A-A cable 1,5m	ABS-A-A cable	AAR121-05080000	1,67		10
86	4 port, USB router (HUB) for active / passive mode	ABS-USB HUB 4 port active	AAR121-05100000	16,67		10
87	USB- game port adapter	ABS-USB-GAMEPORT adapter	AAR121-05110000	20,00		10
88	2 meter USB A-B cable	ABS-USB-A-B 2m	AAR121-05120000	2,00		10
89	Eight-in-one PCB reader	ABS-T 2xUSB 8in1 PCB reader	AAR121-05130000	23,33		30
90	Wireless 4 port USB router	ABS-WUSB HUB 4 port active	AAR121-05140000	133,33		10
91	USB Bluetooth 2.0 adapter - miniature	ABS-BT adapter mini	AAR121-05150100	6,67		10
92	Adapter terminals					
93	3,5 jack socket - 6,3 stereo plug metal terminal adapter	ABS-3,5 jack socket - 6,3 stereo plug metal terminal adapter	AAR121-08040000	3,33		10
94	3,5 jack socket - 6,3 mono plug terminal adapter	ABS-3,5 jack socket - 6,3 mono plug adapter	AAR121-08050000	1,67		10
95	3,5 jack socket – RCA plug terminal adapter	ABS-3,5 jack socket - RCA plug adapter	AAR121-08060000	1,67		10
96	6,3 - 3,5 jack stereo terminal adapter	ABS-6,3 - 3,5 jack stereo adapter	AAR121-08070000	1,67		30
97	3,5 jack socket – 6,3 stereo plug plastic terminal adapter	ABS-3,5 jack socket - 6,3 stereo plug plastic adapter	AAR121-08080000	1,67		10
98	2 x 3,5 jack socket – 3,5 jack plug terminal adapter (Y junction)	ABS-2 x 3,5 jack socket - 3,5 jack plug (Y junction)	AAR121-08090000	1,67		10

99	Cables					
100	8-line analogue hard-line telephone adapter special audio PCB terminal adapter for 4-channel audio card	ABS-M 4 channel adapter cable	GAR123-02050000	16,67		10
101	Adapter cable, facilitating 3V mike connection to XLR socket	ABS-X 3,5mm microphone adapter cable for power-out	AAR121-08090000	20,00		10
102	3,5mm-es, stereo relay cable with gilt plug, 2m	ABS-H 3,5mm stereo jack terminal cable, gilt	AAR121-09010000	3,33		10
103	3,5mm-es stereo relay cable 1,5m	ABS-Audio cable (3,5 stereo jack 1,5m) terminal cable	AAR121-09020000	1,67		10
104	6,3mm-es mono relay cable 0,6m	ABS-Audio terminal cable (6,3 mono jack)	AAR121-09030000	2,67		10
105	Audio extension cable 3,5mm jack socket 3,5mm plug 5m	ABS-Audio cable 3,5mm jack socket 3,5mm plug 5m	AAR121-09040000	2,67		10
106	Audio cable 3,5mm stereo jack to jack 5m	ABS-Audio relay cable 3,5mm jack to jack 5m	AAR121-09060000	6,67		10
107	Carrier bag for ABSONIC components and ancillaries					
108	Aluminium bag - type 1. 435 x 293 x 122mm	ABS-Alu bag 435 x 293 x122	AAR121-11070100	33,33		10
109	Voice recognition software					
110	Multi-language voice recognition software for voice controlling the ABSONIC basic functions (English, Australian English, Asian English, Indian English, UK English, Dutch, French, German, Italian, Japan, Spanish)	ABS-DNS voice recognizer	AAR121-16010100	200,00		30
111	Voice recorder softwares for mobile phone					
112	Voice recorder software for Symbian mobile phone with Dictaphone function	ABS-BD mobile phone voice recorder software	AAR121-16020200	50,00		10
113	Automatic voice recorder software for Symbian S60, 3rd, mobile phone	ABS-BCR mobile phone voice recorder software	AAR121-16020300	33,33		10
114	Audio record processing software					
115	Sound Forge 9 audio record processing software	ABS-SNF professional audio processing software	AAR121-16030100	266,67		30
116	Remote control softwares					
117	ABSONIC remote control software, to replace remote located table	ABS-PAW remote control software	AAR121-16040100	250,00		30

118	Bluetooth software					
119	BlueSoleil v8.0 Bluetooth Windows software	ABS-BT Bluesoleil software	AAR121-16050100	20,00		10
120	Control cards					
121	Four port (Dsub9) RS232 serial I/O card, PCI terminals	ABS-PCI-4xRS232 serial card	AAR121-17010000	50,00		10
122	Accessories for telephone lines					
123	Stand-alone auto attendant and answering unit for telephone calls (DISA). It detects an incoming fax tone, can handle 4 incoming calls and 256 stations.	ABS-MTX-AA auto attendant and DISA	AAR121-15020000	250,00		30
124	External storages for recordings					
125	Aluminium finish USB external Hard Disk* without power supply* 250 GB capacity* 2,5 inch size* USB and eSATA sockets to the PC	ABS-M- 2,5 external HDD 250GB	AAR121-18020000	60,00		30
126	Aluminium finish USB external Hard Disk* without power supply* 500 GB capacity* 2,5 inch size* USB and eSATA sockets to the PC	ABS-M- 2,5 external HDD 500GB	AAR121-18030000	83,33		30
127	USB external Hard Disk* with power supply* 1 TB capacity* 3,5 inch size* USB socket to the PC	ABS-M- 3,5 external HDD 1TB	AAR121-18050000	86,67		30
128	USB external Hard Disk* with power supply* 2 TB capacity* 3,5 inch size* USB and socket to the PC	ABS-B- 3,5 external HDD 2TB	AAR121-18060000	173,33		30
129	Computer data storage connects to a computer network* 1 TB capacity Hard disk* USB sockets to the PC	ABS-T-NAS	SAR122-09010000	180,00		30
130	Computer data storage connects to a computer network* 2 x 1 TB capacity Hard disk* data storage with double safety* USB sockets to the PC	ABS-T-NAS-RAID	SAR122-09020000	243,33		30
131	Total net amount (EUR):					0,00

All prices are net price, VAT is not included. (VAT within Hungary 27%)